


A B E A U T I F U L

*Thinking*



LATIGRES

TILES STUDIO




**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



C.M.L.No. 7900104818



LATIGRES

TILES STUDIO



**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**

**GLAM-  
OROUS**





REMARKABLE  
*Influence*

Bloom up your spaces with our exclusive tiles collection. Radiant and vibrant to lift up your spirits.



**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**PRIME PLUS**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



CM/L.No. 7900104818





**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY GOLD**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION









**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY MELODY**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



CM/L.No. 7900104818





**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY PINK**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



CM/L.No. 7900104818

CISCILIA



ALCANTARA



**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY GREEN**



**LATIGRES**  
TILES STUDIO




- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



IS15622




CM/L.No. 7900104818





**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY ASH**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



IS15622



CM/L.No. 7900104818







**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY BROWN**



**LATIGRES**  
TILES STUDIO




- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



IS15622




CM/L.No. 7900104818





**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY CHOCOLATE**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



IS15622



CM/L.No. 7900104818





**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY COFFEE**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION





LUXURY FOR CATS  
LUXURY HOUSES



**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY CORAL**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



IS15622



CM/L.No. 7900104818







**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**



**MERCURY SAND**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION




CM/L.No. 7900104818





**DOUBLE  
CHARGE**  
VITRIFIED TILES

**600X  
600MM**




**MERCURY GREY**



**LATIGRES**  
TILES STUDIO



- DOUBLE LAYER
- HIGH GLOSSINESS
- INTERIOR APPLICATION
- HIGH GLOSS NANO TECHNOLOGY
- CHEMICAL RESISTANCE
- LOW WATER ABSORPTION



IS15622



CM/L.No. 7900104818





**Worldwide  
Presence**

[www.latigres.in](http://www.latigres.in)

## PACKING DETAILS

Size	Thickness (Approx)	Pieces/Box	coverage Area / Box (Approx)		Weight / Box (Approx)
600x600mm	8 mm	4 pcs.	1.44 Sq. Mtr.	15.5 Sq. Ft.	25 Kgs.

## TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE OF LATIGRES DC	TEST METHOD
-----------------	----------------------------------------------	---------------------------	-------------

### REGULATORY PROPERTIES

Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 2.0%	ISO-10545-2
Straightness of sides	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.1%	ISO-10545-2
Colour difference	Unaltered	No Change	ISO-10545-16
Glossiness	As per mfg.	Min. 95%	GLOSSOMETER

### STRUCTURAL MECHANICAL PROPERTIES

Water Absorption	< 0.50%	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.28 g/cc	DIN 51082

### MASSIVE MECHANICAL PROPERTIES

Modulus rupture	Min 35 N/mm <sup>2</sup>	Min 40 N/mm <sup>2</sup>	ISO-10545-3
Breaking Strength	Min.1300 N	min.1500 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5

### SURFACE MECHANICAL PROPERTIES

Surface abrasion resistance	As per mfg.	Min Class 3	ISO-10545-7
MOH's hardness	As per mfg.	Min 4	EN 101

### THERMOHYDROMETRIC PROPERTIES

Frost resistance	No Damage	No Damage	ISO-10545-12
Thermal shock resistance	No Damage	No Damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (CEO)	Max.9.0x10 <sup>-6</sup>	Max.6.5x10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg.	Min 10 Cycle	ISO-10545-11

### CHEMICAL PROPERTIES

Chemical resistance	No Damage	No Damage	ISO-10545-13
Satin resistance	Resistance	Resistance	ISO-10545-14

### SAFETY PROPERTIES

Slip resistance	As per mfg.	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire Proof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	ISO-10545-15



LATIGRES  
TILES STUDIO

8-A, National Highway, Behind Lalpar 132 K.V. Power House,  
At. Jambudiya, Morbi - 363 642 (Guj.) INDIA

**Call.**

+91 7069066613

**Mail.**

care@latigres.in

**Web.**

www.latigres.in